



MATERIAL SAFETY DATA SHEET

Revision date: 18-Jul-2006

Version: 1.1

Page 1 of 8

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Consumer Healthcare
Pfizer Inc
201 Tabor Road
Morris Plains, NJ 07950

Pfizer Ltd
Walton Oaks
Dorking Road
Tadworth
Surrey KT20 7NS, UK
+00 44 (0)1304 616161

Emergency telephone number:
1-973-385-2000
Hours of Operation - 24 Hours:
CHEMTREC (24 hours): 1-800-262-8200

Emergency telephone number:
ChemSafe (24 hours): +44 (0)208 762 8322

Material Name: PURELL Instant Hand Sanitizer with Aloe

Trade Name: PURELL
Chemical Family: Mixture
Intended Use: disinfectant

2. COMPOSITION/INFORMATION ON INGREDIENTS

hazardous

Ingredient	CAS Number	EU EINECS List	%
Ethyl alcohol (ethanol)	64-17-5	200-578-6	62
Isopropyl alcohol	67-63-0	200-661-7	*
Glycerin, USP	56-81-5	200-289-5	*
2-AMINO-2-METHYLPROPANOL	124-68-5	204-709-8	*

Ingredient	CAS Number	EU EINECS List	%
FD & C Yellow No. 5	1934-21-0	217-699-5	*
Aloe barbadensis gel	85507-69-3	287-390-8	*
FD & C Blue No. 1	3844-45-9	223-339-8	*
Water	7732-18-5	231-791-2	*
Carbomer	9007-16-3	Not listed	*
Fragrance	NOT ASSIGNED	Not listed	*
Propylene glycol	57-55-6	200-338-0	*
Isopropyl myristate	110-27-0	203-751-4	*
Tocopheryl acetate	7695-91-2	231-710-0	*

Additional Information:

* Proprietary
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

3. HAZARDS IDENTIFICATION

Appearance: Clear green liquid
Signal Word: DANGER

Statement of Hazard: Flammable liquid; May cause eye and respiratory tract irritation; This product contains ethanol which can cause liver changes, central nervous system effects, and birth defects in the developing fetus.

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer with Aloe
Revision date: 18-Jul-2006

Page 2 of 8
Version: 1.1

Eye Contact:	May cause irritation based on components.
Skin Contact:	Not expected to cause skin irritation
Inhalation:	Exposure to high concentrations may cause irritation, headache, drowsiness, and symptoms of alcohol intoxication. An Occupational Exposure Limit has been established for one or more of the ingredients (see Section 8).
Ingestion:	Ingestion of large quantities may cause gastrointestinal tract irritation, headache, dizziness, nausea, vomiting, diarrhea, dehydration, and symptoms of alcohol intoxication.
Potential Health Effects:	Chronic ingestion of ethanol has been associated with an increased incidence of cancer, liver cirrhosis, and, if ingested during pregnancy, congenital malformations.
EU Indication of danger:	Flammable Irritant

EU Hazard Symbols:
Xi



EU Risk Phrases:

R10 - Flammable.
R36 - Irritating to eyes.

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the active substance or its intermediates regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

4. FIRST AID MEASURES

Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
Skin Contact:	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.

5. FIRE FIGHTING MEASURES

Extinguishing Media:	Use carbon dioxide, dry chemical, or water spray.
Hazardous Combustion Products:	Formation of toxic gases is possible during heating or fire.
Fire Fighting Procedures:	During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.
Fire / Explosion Hazards:	Flammable liquid.

6. ACCIDENTAL RELEASE MEASURES

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer with Aloe
Revision date: 18-Jul-2006

Page 3 of 8
Version: 1.1

Health and Safety Precautions:	Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.
Measures for Cleaning / Collecting:	Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.
Measures for Environmental Protections:	Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.
Additional Information:	This material becomes extremely slippery when wet.

7. HANDLING AND STORAGE

General Handling:	Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin and clothing.
Storage Conditions:	Store at controlled room temperature. Keep away from heat, sparks, flame, and other sources of ignition. Keep container tightly closed when not in use. Do not freeze.
Storage Temperature:	Store as directed by product packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ethyl alcohol (ethanol)		
OSHA - Final PELs - TWAs:	= 1000 ppm TWA	
	= 1900 mg/m ³ TWA	
ACGIH Threshold Limit Value (TWA)	= 1000 ppm TWA	
Australia TWA	= 1000 ppm TWA	
	= 1880 mg/m ³ TWA	
Isopropyl alcohol		
OSHA - Final PELs - TWAs:	= 400 ppm TWA	
	= 980 mg/m ³ TWA	
ACGIH Threshold Limit Value (TWA)	= 200 ppm TWA	
ACGIH Threshold Limit Value (STEL)	= 400 ppm STEL	
Australia STEL	= 1230 mg/m ³ STEL	
	= 500 ppm STEL	
Australia TWA	= 400 ppm TWA	
	= 983 mg/m ³ TWA	
Glycerin, USP		
OSHA - Final PELs - TWAs:	= 15 mg/m ³ TWA	total
	= 5 mg/m ³ TWA	
ACGIH Threshold Limit Value (TWA)	= 10 mg/m ³ TWA	
Australia TWA	= 10 mg/m ³ TWA	
Propylene glycol		
Australia TWA	= 10 mg/m ³ TWA	
	= 150 ppm TWA	
	= 474 mg/m ³ TWA	

Engineering Controls:	Engineering controls should be used as the primary means to control exposures.
-----------------------	--

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer with Aloe
Revision date: 18-Jul-2006

Page 4 of 8
Version: 1.1

Personal Protective Equipment:

Hands: Wear impervious gloves if skin contact is possible.
Eyes: Safety glasses or goggles
Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.
Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:	Liquid	Color:	Clear green
Odor:	Floral	Molecular Formula:	Mixture
Molecular Weight:	Mixture		

pH: 4.5 - 9.5

Flash Point (Liquid) (°C): 23 Closed cup

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use.
Conditions to Avoid: Keep away from heat, spark, flames and all other sources of ignition.
Incompatible Materials: As a precautionary measure, keep away from strong oxidizers.

11. TOXICOLOGICAL INFORMATION

General Information: The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Ethyl alcohol (ethanol)

Mouse Oral LD50 3450 mg/kg
Rat Oral LD50 7060 mg/kg
Rat Inhalation LC50 10h 20,000 ppm

Isopropyl alcohol

Rat Oral LD50 > 2000 mg/kg
Mouse Oral LD50 3600 mg/kg
Rat Inhalation LC50-8h 16,000 ppm
Rabbit Dermal LD50 12800 mg/kg
Rat Inhalation LC50 30 mg/L

Glycerin, USP

Mouse Oral LD50 4090 mg/kg
Rat Oral LD50 12.6 g/kg
Rabbit Dermal LD50 > 10 g/kg
Rat Inhalation LC50 1hr > 570 mg/m³
Rat Dermal LD 50 >21.9 g/kg

Propylene glycol

Mouse Oral LD50 22,000 mg/kg

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer with Aloe
Revision date: 18-Jul-2006

Page 5 of 8
Version: 1.1

Rat Oral LD50 20,000 mg/kg
Rabbit Dermal LD50 20,800 mg/kg

Isopropyl myristate

Mouse Oral LD50 49,700 mg/kg
Rabbit Dermal LD50 5000 mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Ethyl alcohol (ethanol)

Eye Irritation Rabbit Severe

Isopropyl alcohol

Eye Irritation Rabbit Severe
Skin Irritation Rabbit Mild

Glycerin, USP

Eye Irritation Rabbit Mild

Propylene glycol

Skin Irritation Rabbit Mild
Eye Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Isopropyl alcohol

20 Week(s) Rat Inhalation 4000 ppm NOAEL Liver, Central nervous system
104 Week(s) Rat Inhalation 5000 ppm Kidney

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Isopropyl alcohol

Prenatal & Postnatal Development	Rat	Inhalation 7,000 ppm	LOAEL	Maternal toxicity, Fetotoxicity, Embryotoxicity
2 Generation Reproductive Toxicity	Rat	Oral 1000 mg/kg/day	LOAEL	Maternal Toxicity, Fetal mortality
Prenatal & Postnatal Development	Rat	Oral 1200 mg/kg/day	NOAEL	No effects at maximum dose

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Isopropyl alcohol

Bacterial Mutagenicity (Ames)	Salmonella	Negative
Mammalian Cell Mutagenicity	HGPRT Chinese Hamster Ovary (CHO) cells	Negative
In Vitro Sister Chromatid Exchange		Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Isopropyl alcohol

IARC:	Group 3
OSHA:	Present

FD & C Blue No. 1

IARC:	Group 3
-------	---------

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer with Aloe
Revision date: 18-Jul-2006

Page 6 of 8
Version: 1.1

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Ethyl alcohol (ethanol)

Rainbow Trout LC50/96h 12,900-15,300 mg/L

Glycerin, USP

Oncorhynchus mykiss (Rainbow Trout) LC-50 96 Hours 50 mg/L
Daphnia Magna (Water Flea) EC-50 24 Hours >500 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

This material is regulated for transport under DOT, ADR, IMDG, and IATA regulations.

Proper shipping name: Alcohols, n.o.s.
UN / ID No: UN 1987
Hazard class: 3
Packing group: III

If your commodity meets the definition of a limited quantity and is packaged for retail sale, it may be considered a consumer commodity and excepted from additional requirements as applicable. For small quantities, limited to inner packaging less than or equal to 5.0L (1.3 gal) and outer packaging less than or equal to 30 kg (66 lb.) gross weight, the following may be used:

IATA / ICAO

IATA Proper shipping name: Consumer Commodity
IATA UN / ID No: ID 8000
IATA Hazard Class: 9
IATA Packing Group: Not applicable

IMDG

IMDG Proper shipping name: Alcohols, n.o.s., Limited Quantity
IMDG UN / ID No: UN 1987
IMDG Hazard Class: 3
IMDG Packing Group: III
IMDG additional info: F.P. 23°C (74°F)

DOT

DOT Proper shipping name: Consumer Commodity
DOT Hazard Class: ORM-D
DOT Packing Group: Not applicable

15. REGULATORY INFORMATION

EU Symbol: Xi

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer with Aloe
Revision date: 18-Jul-2006

Page 7 of 8
Version: 1.1

EU Indication of danger: Flammable
Irritant

EU Risk Phrases:
R10 - Flammable.
R36 - Irritating to eyes.

EU Safety Phrases:
S 2 - Keep out of the reach of children.
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36 - Wear suitable protective clothing.

OSHA Label:

DANGER

Flammable liquid; May cause eye and respiratory tract irritation; This product contains ethanol which can cause liver changes, central nervous system effects, and birth defects in the developing fetus.

Canada - WHMIS: Classifications

WHMIS hazard class:

Class B, Division 2

Class D, Division 2, Subdivision A



FD & C Yellow No. 5

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	217-699-5

Ethyl alcohol (ethanol)

California Proposition 65	developmental toxicity, initial date 10/1/87 (when in alcoholic beverages)
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	200-578-6

Aloe barbadensis gel

Australia (AICS):	Present
EU EINECS List	287-390-8

FD & C Blue No. 1

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	223-339-8

Water

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	231-791-2

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer with Aloe
Revision date: 18-Jul-2006

Page 8 of 8
Version: 1.1

Isopropyl alcohol

CERCLA/SARA 313 Emission reporting	= 1.0 % de minimis concentration only if manufactured by the strong acid process, no supplier notification
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	200-661-7

Glycerin, USP

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	200-289-5

2-AMINO-2-METHYLPROPANOL

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	204-709-8

Propylene glycol

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	200-338-0

Isopropyl myristate

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	203-751-4

Tocopheryl acetate

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	231-710-0

16. OTHER INFORMATION

Prepared by:

Toxicology and Hazard Communication
Pfizer Global Environment, Health, and Safety

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied.

End of Safety Data Sheet