

MATERIAL SAFETY DATA SHEET

Sara Lee Household and Body Care USA
707 Eagleview Boulevard, Exton, PA 19341
Emergency - Call CHEM-TEL at (800) 255-3924

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: Endust, Lemon

CHEMICAL FORMULA/FAMILY: No wax dusting and cleaning aerosol.

INGREDIENT SUMMARY SECTION II - HAZARDOUS INGREDIENTS

Light paraffinic petroleum oil	CAS NUMBER	COMPOSITION	OSHA LIMITS
Isobutane	64741-89-5	17-22%	N.E.
Isoparaffinic hydrocarbon solvent	75-28-5	9-14%	N.E.
Propane	64742-48-9	4-9%	N.E.
Orange terpenes	74-98-6	1-5%	1000 PPM TWA
	68647-72-3	1-5%	N.E.

N.E. = Not Established

SECTION III - PHYSICAL DATA

BOILING POINT: Not determined.
VAPOR PRESSURE: Not determined.
% VOLATILE: 75-85%
WATER SOLUBILITY: Partial.
APPEARANCE: Aerosol concentrate is a milky white liquid.

SECTION IV - FIRE AND EXPLOSION HAZARDS

Flash Point:
Aerosol: <-18 C (0 F)
Concentrate: <10 C (50 F)

Product determined to be flammable as per U.S. Federal Hazardous Substances Act 16 CFR 1500.45 and extremely flammable as per the Canadian Hazardous Products Act.

Flammable Limits in Air (% by volume): UEL: Not determined.

LEL: Not determined.

Extinguishing Media:

Carbon dioxide, dry chemical, foam, or water fog.

Hazardous Decomposition Products:

Combustion will yield carbon dioxide and/or carbon monoxide.

Special Fire Fighting Procedures:

Use air supplied breathing equipment and protective clothing.

Unusual Fire and Explosion Hazards:

Aerosol cans may explode from internal pressure build-up when exposed to extreme heat. Water may be used to cool containers and prevent explosion.

SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE:

Ingestion: May be harmful if swallowed. This product may be aspirated into the lungs during swallowing or vomiting and cause lung damage or possibly death.

Eye Contact: Slightly irritating.

Inhalation: Intentional misuse by deliberately concentrating and inhaling vapors can be harmful or fatal. High vapor concentrations (greater than 1000 ppm) are irritating to the respiratory tract. Overexposure symptoms may include headaches, dizziness, anesthetic, and other central nervous system effects, including death.

Skin Contact: Skin contact may aggravate an existing dermatitis condition. Frequent or prolonged skin contact may irritate and cause dermatitis.

EMERGENCY FIRST AID PROCEDURES:

Inhalation: Using proper respiratory protection, remove person to fresh air. If victim is not breathing, immediately begin artificial respiration. Get medical attention.

Eye or Skin Contact:

Eyes: Flush with water for at least 15 minutes. Contact a physician if irritation persists.

Skin: Wash with soap and water. Contact a physician if irritation occurs. Remove grossly contaminated clothing; wash before reuse.

Ingestion: Do not induce vomiting. Do not give liquids. Contact a poison control center or physician immediately.

SECTION VI - REACTIVITY DATA

Hazardous Polymerization: Will not occur.

Stability: Stable.

Incompatibility: Heat, flames, and other ignition sources.

Steps to be Taken in Case Material is Released or Spilled:

SECTION VII - SPILL OR LEAK PROCEDURE

Wear proper personal protective equipment. Remove all possible ignition sources. Provide adequate ventilation. Keep out of water supply. Mop up, wipe up, or soak up with inert absorbent. Place spill cleanup material in a suitable container.

Waste Disposal Method:

Incinerate or dispose of in accordance with local, state and federal regulations.

RCRA Hazardous Waste ID Number: D001

SECTION VIII - PROTECTIVE EQUIPMENT TO USE

Respiratory Protection:

Not required when used in a well-ventilated area. If exposure limits are exceeded, use a cartridge appropriate for listed chemicals or supplied air respirator as needed.

Ventilation:

Use adequate natural or mechanical ventilation to prevent a build-up of vapors.

Protective Gloves:

None required unless sensitivities exist.

Eye Protection:

Safety glasses recommended when using any aerosol.

Other Protective Equipment:

None.

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be Taken in Handling and Storage:

This product is classified as a Level I aerosol in accordance with the National Fire Protection Association manufacturing and storage or aerosol products code 30B-94.

Other Precautions:

CAUTION: Contents under pressure. Temperature over 49 C (120 F) may cause

Endust, Lemon

PAGE NUMBER 3

bursting. Do not puncture, incinerate or use near fire or flame. Use only as directed. Intentional misuse may be harmful or fatal. Keep out of reach of children.

NFPA Aerosol Storage Level Code: 1

PENNSYLVANIA:

This product contains the following Pennsylvania Right-to-Know hazardous substances at concentrations of 1% or greater and special hazardous substances at concentrations of 0.01% or greater:

Chemical	CAS Number
Isobutane	75-28-5
Isoparaffinic hydrocarbon solvent	64742-48-9
Propane	74-98-6

The identity of substances not listed above or in Section II is considered to be a trade secret.

SECTION XI - SARA TITLE III INFORMATION

SECTION 302: This product contains the following ingredient(s) regulated under SARA Title III Section 302 Extremely Hazardous

Substances List: None

SECTION 313: This product contains the following ingredient(s) regulated under SARA Title III Section 313: None

THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED UPON DATA BELIEVED TO BE CORRECT. HOWEVER, NO GUARANTEE OR WARRANTY OF ANY KIND EXPRESSED OR IMPLIED IS MADE WITH RESPECT TO THE INFORMATION CONTAINED HEREIN.

Preparation Date: December 18, 1996